

ARCFOX T1

High Capacity, Unlimited Freedom

Spacious | Easy to handle | Beautifully designed
Exquisite enjoyment | Excellent value | Safe



DIMENSIONS

4,337 mm
Length

1,860 mm
Width

1,572 mm
Height

2,770 mm
Wheelbase

SPACE & COMFORT

1.6 m
Premium King Suite lie-flat bed

180°
Seat recline angle

260 mm
Adjustable seat track

1,004 mm
Maximum headroom

934 mm
Rear legroom

459-1,352 L
Flexible storage

74 L
Hidden sunken storage

32
Clever storage solutions



DESIGN

ARC-FLOW design philosophy with clean, minimalist lines. Golden-ratio body: 0.64 wheelbase ratio, 2.27 wheel-to-height, 0.85 height-to-width. Through-type "Dynamic Ice Brilliance" headlights, sharp taillights, 18-inch precision-machined alloy wheels. 4/6 split-fold rear seats; second row folds flat in seconds.

Six body colors: Blue, Green, Purple, Grey, White, Silver. Three-tone interiors: Soft White, Sandy Brown, Dark Grey.

Comfort, Power & Safety

Cockpit | Energy | Battery protection



COCKPIT & COMFORT

15.6" Floating center screen	8.8" LCD instrument cluster	≥97% Voice wake-up success	55.8 dBA Cabin noise at 60 km/h
24 / 20+ Sound-insulated cavities / absorbing spots	85% Sound-damping coverage	22.34 m² Panoramic sunroof, 99.9% UV block	Near-zero Formaldehyde & benzene cabin block

Seats: ventilation, heating, memory, welcome function. Microcloud fiber velvet, premium leather, nano-level stain-resistant materials, 3D sculptured quilting. AI voice assistant with ≥98% sound-source localization and ≥95% recognition accuracy; one-touch rest mode and customizable cockpit scenes.

ENERGY & CHARGING

400 km Ultra-long range	11.2 kWh Per 100 km	94% Battery retention at -7 °C
16.9 min Fast charge, SOC 30-80%	V2L / V2V Power out & vehicle rescue	8-in-1 Drivetrain: -15% weight, -18% volume, +10% density

High-speed-rail derived 8-in-1 electric drivetrain. Heat-pump air conditioning standard on all trims, high-integration direct cooling and heating.

AURORA BATTERY, 10-LAYER PROTECTION

IP68+IPX9K Battery sealing	44 Aerogel panels, 2.6 m² coverage	7-layer Basalt bottom shield
100% High-strength steel in critical load-bearing & side-impact parts	100% Key-connection pass rate	7x24 h Cloud battery monitoring

Same battery passes three extreme tests: 500 m rough water + 350 mm submersion with zero water ingress (3x the new national standard); 30-ton crush with no fire or explosion (3x); 150 s direct flame with no fire or explosion (2x). Zero spontaneous combustion, ignition or explosion. High-strength cage body. Built on the Polaris digital intelligence architecture.





Turn with Ease

First-in-class low-speed intelligent steering assistance | Level 2 combined driver assistance

STEERING & TURNING

14.9

Golden steering ratio

30 cm

Turning diameter reduced

5.2 m

Minimum turning radius

540°

Surround view: 360° + 180° transparent chassis

Remote control from your phone: remote driving assist, remote parking assist, smart car locator, and “kid’s ultimate toy” mode.

INTELLIGENT PARKING

58

Parking scenarios

>=95%

Parking success rate

90%

Single-attempt rate

98%

Recognition rate

50 m

Reverse tracking assist

All-new generation intelligent parking assist: park with precision in one smooth move.

DRIVER ASSISTANCE & MODES

12

Active safety features

6

Cruise assist features

7

Driving modes

Comfort / Eco / Sport / Custom / Ultra Eco / Wet / Adaptive. Smart memory learns driving preferences for easy family sharing.